

號碼(No.): CE/2019/A2953 日期(Date): 2019/10/24 頁數(Page): 1 of 10

Test Report

弘商國際貿易股份有限公司 HOXXON INTERNATIONAL TRADING CO., LTD. 新北市三重區光復路一段83巷10號7樓

7F., NO. 10, LN. 83, SEC. 1, GUANGFU RD., SANCHONG DIST., NEW TAIPEI CITY 24158, TAIWAN, (R.O.C.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) 弘商國際貿易股份有限公司(HOXXON INTERNATIONAL TRADING CO., LTD.)

PETLIN LD, LOW DENSITY POLYETHYLENE (LDPE) RESIN 樣品名稱(Sample Description)

PETLIN LDPE N125Y, C150Y, M050X, M022X, C170X, C225Y, N103X, 樣品型號(Style/Item No.)

N119X, N109X

收件日期(Sample Receiving Date) 2019/10/17

測試期間(Testing Period) 2019/10/17 to 2019/10/24

測試需求(Test Requested):

(1) 依據客戶指定,參考ROHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴 聯苯醚, DBP, BBP, DEHP, DIBP. (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 依據客戶指定,進行全氟辛酸、全氟辛烷磺酸、鹵素-氟、氯、溴、碘測試. (As specified by client, to test PFOA, PFOS, Halogen-Fluorine, Chlorine, Bromine, Iodine contents in the submitted sample(s).)

測試結果(Test Results) 請參閱下一頁 (Please refer to following pages).

Trov Chang / Manager - Tec Signed for and behalf of SGS TAIWAN LTD.

Chemical Laboratory - Taipei



號碼(No.): CE/2019/A2953 日期(Date): 2019/10/24

頁數(Page): 2 of 10

Test Report

弘商國際貿易股份有限公司 HOXXON INTERNATIONAL TRADING CO., LTD. 新北市三重區光復路一段83巷10號7樓

7F., NO. 10, LN. 83, SEC. 1, GUANGFU RD., SANCHONG DIST., NEW TAIPEI CITY 24158, TAIWAN, (R.O.C.)

測試結果(Test Results)

測試部位(PART NAME)No.1 半透明白色塑膠粒 (TRANSLUCENT-WHITE PLASTIC PELLETS)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) No.1
鎘 / Cadmium (Cd)	mg/kg	参考IEC 62321-5 (2013),以感應耦合 電漿發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-OES.	2	n. d.
鉛 / Lead (Pb)	mg/kg		2	n. d.
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4:2013+ AMD1:2017,以 感應耦合電漿發射光譜儀檢測. / With reference to IEC 62321-4:2013+ AMD1:2017 and performed by ICP-OES.	2	n. d.
六價鉻 / Hexavalent Chromium Cr(VI) (◆)	mg/kg	参考IEC 62321-7-2 (2017),以UV-VIS 檢測;參考IEC 62321-5 (2013),以 ICP-OES檢測. / With reference to IEC 62321-7-2 (2017) and performed by UV-VIS.; With reference to IEC 62321-5 (2013) and performed by ICP-OES.	8	n. d.
多溴聯苯總和 / Sum of PBBs	mg/kg	参考IEC 62321-6 (2015),以氣相層析/ 質譜儀檢測./ With reference to IEC- 62321-6 (2015) and performed by GC/MS.	_	n. d.
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n. d.
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n. d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n. d.
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n. d.
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n. d.
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n. d.
九溴聯苯 / Nonabromobiphenyl	mg/kg		5	n. d.
十溴聯苯 / Decabromobiphenyl	mg/kg		5	n. d.



號碼(No.): CE/2019/A2953 日期(Date): 2019/10/24 頁數(Page): 3 of 10

Test Report

弘商國際貿易股份有限公司 HOXXON INTERNATIONAL TRADING CO., LTD. 新北市三重區光復路一段83巷10號7樓

7F., NO. 10, LN. 83, SEC. 1, GUANGFU RD., SANCHONG DIST., NEW TAIPEI CITY 24158, TAIWAN, (R.O.C.)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) No.1
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		_	n. d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg		5	n. d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n. d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg	& ÞIEC 69991 6 (9015) いちh B k/	5	n. d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg	参考IEC 62321-6 (2015), 以氣相層析/ 質譜儀檢測. / With reference to IEC	5	n. d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg	頁音俄極烈,/ With reference to fice 62321-6 (2015) and performed by	5	n. d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg	GC/MS.	5	n. d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg	GC/ MS.	5	n. d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n. d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg	<u> </u>	5	n. d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	参考IEC 62321-8 (2017),以氣相層析/質譜儀檢測. / With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n. d.
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg		50	n. d.
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg		50	n. d.
鄰苯二甲酸二異丁酯 / DIBP (Di- isobutyl phthalate) (CAS No.: 84-69- 5)	mg/kg		50	n. d.
鹵素 / Halogen				
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	参考BS EN 14582 (2016),以離子層析 儀分析. / With reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n. d.
鹵素(氯)/ Halogen-Chlorine (Cl) (CAS No.: 22537-15-1)	mg/kg		50	n. d.
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	n. d.
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n. d.



號碼(No.): CE/2019/A2953 日期(Date): 2019/10/24 頁數(Page): 4 of 10

Test Report

弘商國際貿易股份有限公司 HOXXON INTERNATIONAL TRADING CO., LTD.

新北市三重區光復路一段83巷10號7樓

7F., NO. 10, LN. 83, SEC. 1, GUANGFU RD., SANCHONG DIST., NEW TAIPEI CITY 24158, TAIWAN, (R.O.C.)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) No.1
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)		参考US EPA 3550C (2007),以液相層析/質譜儀檢測./ With reference to US EPA 3550C (2007).Analysis was		n. d.
全氟辛酸 / PFOA (CAS No.: 335-67-1)	mg/kg	performed by LC/MS.	10	n. d.

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出)
- 4. "-" = Not Regulated (無規格值)
- 5. **(♦)**:

若鉻含量小於六價鉻之方法偵測極限值,則六價鉻為n.d.,不須再測試六價鉻。

The result of Cr(VI) is "n.d." as the result of Chromium (Cr) is less than the MDL of Cr(VI), and confirmation test of Cr(VI) is not required.

若鉻含量未小於六價鉻之方法偵測極限值,需進行六價鉻測試。

If the Chromium (Cr) content is not less than the MDL of Cr(VI), confirmation test of Cr(VI) is required.

PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 2019/1021

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品 或塗層材料中不得超過lug/m²。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semifinished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².)



號碼(No.): CE/2019/A2953 日期(Date): 2019/10/24

頁數(Page): 5 of 10

Test Report

弘商國際貿易股份有限公司 HOXXON INTERNATIONAL TRADING CO., LTD. 新北市三重區光復路一段83巷10號7樓


7F., NO. 10, LN. 83, SEC. 1, GUANGFU RD., SANCHONG DIST., NEW TAIPEI CITY 24158, TAIWAN, (R.O.C.)

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)

- 測試人員:陳恩臻 / Technician: Rita Chen
- 測試負責人:張啟興 / Supervisor: Troy Chang





Test Report

號碼(No.): CE/2019/A2953 日期(Date): 2019/10/24 頁數(Page): 6 of 10


弘商國際貿易股份有限公司 HOXXON INTERNATIONAL TRADING CO., LTD. 新北市三重區光復路一段83巷10號7樓

7F., NO. 10, LN. 83, SEC. 1, GUANGFU RD., SANCHONG DIST., NEW TAIPEI CITY 24158, TAIWAN, (R.O.C.)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE

測試人員:涂雅苓 / Technician: Yaling Tu 測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process _ 確認程序 / Confirmation process _ . _ . ▶





號碼(No.): CE/2019/A2953 日期(Date): 2019/10/24 頁數(Page): 7 of 10

Test Report


弘商國際貿易股份有限公司 HOXXON INTERNATIONAL TRADING CO., LTD. 新北市三重區光復路一段83巷10號7樓 7F., NO. 10, LN. 83, SEC. 1, GUANGFU RD., SANCHONG DIST., NEW TAIPEI CITY 24158, TAIWAN, (R.O.C.)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang

【測試方法/Test method: IEC 62321-8】





測試報告 **Test Report**

號碼(No.): CE/2019/A2953 日期(Date): 2019/10/24


頁數(Page): 8 of 10

弘商國際貿易股份有限公司 HOXXON INTERNATIONAL TRADING CO., LTD. 新北市三重區光復路一段83巷10號7樓

7F., NO. 10, LN. 83, SEC. 1, GUANGFU RD., SANCHONG DIST., NEW TAIPEI CITY 24158, TAIWAN, (R.O.C.)

鹵素分析流程圖 / Analytical flow chart - Halogen

測試人員:陳恩臻 / Technician: Rita Chen 測試負責人:張啟興 / Supervisor: Troy Chang





Test Report

號碼(No.): CE/2019/A2953 日期(Date): 2019/10/24 頁數(Page): 9 of 10


弘商國際貿易股份有限公司 HOXXON INTERNATIONAL TRADING CO., LTD. 新北市三重區光復路一段83巷10號7樓

7F., NO. 10, LN. 83, SEC. 1, GUANGFU RD., SANCHONG DIST., NEW TAIPEI CITY 24158, TAIWAN, (R.O.C.)

全氟辛酸/全氟辛烷磺酸分析流程圖 / Analytical flow chart - PFOA/PFOS

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang





號碼(No.): CE/2019/A2953 日期(Date): 2019/10/24 頁數(Page): 10 of 10

Test Report

弘商國際貿易股份有限公司 HOXXON INTERNATIONAL TRADING CO., LTD. 新北市三重區光復路一段83巷10號7樓 7F., NO. 10, LN. 83, SEC. 1, GUANGFU RD., SANCHONG DIST., NEW TAIPEI CITY 24158, TAIWAN, (R.O.C.)

> * 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

> > CE/2019/A2953



** 報告結尾 (End of Report) **